INDEX TO AUTHORS.

A

Adams, Mildred. See SHERMAN, CALDWELL, and ADAMS, 295

Appleman, W. K. See SCHMIDT, KIRK, and APPLEMAN, 285

B

Beadles, Jessie R., Braman, Winfred W., and **Mitchell, H. H.** The cystine deficiency of the proteins of garden peas and of potatoes, 615

—, —, and —. The relation between cystine deficiency in the diet and growth of hair in the white rat, 623

Behr, Letha Davies, Palmer, J. W., and **Clarke, H. T.** The estimation of bromides in biological material, 131

Bills, Charles E., and **McDonald, Francis G.** Further studies on the isomerization of ergosterol, 337

—. See Cox and BILLS, 709

—. See McDONALD and BILLS, 601

Blair, John E. See BODANSKY, BLAIR, and JAFFE, 629

Bodansky, Aaron, Blair, John E., and **Jaffe, Henry L.** Experimental hyperparathyroidism in guinea pigs leading to ostitis fibrosa, 629

Braman, Winfred W. See BEADLES, BRAMAN, and MITCHELL, 615, 623

Brandt, A. E. See IRWIN, BRANDT, and NELSON, 449, 461

Breitwieser, Anne. See SMITH, 97

C

Caldwell, M. L. See SHERMAN, CALDWELL, and ADAMS, 295

Cerecedo, Leopold R. Studies on the physiology of pyrimidines. III. The intermediary metabolism of uracil, 695

Clarke, H. T. See BEHR, PALMER, and CLARKE, 131

Conant, James B., and **Tongberg, Carl O.** The α-oxidation of acetaldehyde and the mechanism of the oxidation of lactic acid, 701

Cooper, Frank B. Chemistry of the tubercle bacillus. I. Analysis of bacillus Calmette-Guérin (BCG), 485

—. Chemistry of the tubercle bacillus. II. Analysis of the medium which produced fifty grams of R and S type of bacillus Calmette-Guérin (BCG), 493

Cowgill, George R. See GILMAN and COWGILL, 743

Cox, Warren M., Jr., and **Bills, Charles E.** Antiricketic substances. X. On the relation of the isoergosterols to vitamin D, 709
Csonka, Frank A. See JONES and CSONKA, 305

D

Dalton, John B., Kirk, Paul L., and **Schmidt, Carl L. A.** The apparent dissociation constants of diiodotyrosine, its heat of solution, and its apparent heat of ionization, 589
Davis, Russell E. The metabolism of tributyrin, 67
Dillon, Robert T. See LEVENE and DILLON, 753
Drabkin, David L. The normal pigment of the urine. III. A new method for its extraction, 433
—. The normal pigment of the urine. IV. Preliminary study of the properties of the pigment obtained by the new method of butyl alcohol extraction, 443
DuBois, Delafield. A vacuum tube potentiometer applicable for use with glass electrodes of high resistance, 729

F

Farinacci, Nicholas. See SMITH, 97
Field, Anna. See MORGAN and FIELD, 9
Fleck, Elmer E. See JACOBS and FLECK, 137, 153, 545
Folin, Otto, and **Svedberg, Andrea.** An improved distillation method for the determination of urea in blood, 77
Folin, Otto, and **Svedberg, Andrea.** Diffusible nonprotein constituents of blood and their distribution between plasma and corpuscles, 715
— and —. Micro methods for the determination of non-protein nitrogen, urea, uric acid, and sugar in unlaked blood, 85
Fosbinder, Russel J., and **Schoonover, Janetta.** An improved method of measuring glass electrode potentials, 605
Frear, Donald E. A method for the estimation of the acid-base balance in the ash of plants, 675

G

Gilman, Alfred, and **Cowgill, George R.** The determination of peptic activity: an examination and application of the Gates method of proteolytic enzyme titration, 743
Glusker, David. Plasma lipid levels in normal dogs in the postabsorptive state and in fasting dogs, 381
Greenwald, Isidor. The nature of the sugar in four cases of pentosuria, 1
Gustus, Edwin L. See JACOBS and GUSTUS, 531

H

Hamilton, Bengt, Kajdi, Laslo, and **Meeker, Dorothy.** The effect of phosphorus administration, antirachitic treatment, and spontaneous healing on the calcium in the serum of rachitic rabbits, 331

Hanning, Flora. See STEENBOCK, HART, HANNING, and HUMPHREY, 197
Hart, E. B. See STEENBOCK, HART, HANNING, and HUMPHREY, 197
Hoskins, W. M., Randall, Merle, and Schmidt, Carl L. A. The conductance and activity coefficients of glutamic and aspartic acids and their monosodium salts, 215
Howe, Marion. See WEST and HOWE, 427
Hubbard, Roger S. The determination of inorganic sulfate in serum, 663
—. The excretion of chloride in achlorhydria, 361
Humphrey, G. C. See STEENBOCK, HART, HANNING, and HUMPHREY, 197

I

Irwin, Margaret House, Brandt, A. E., and Nelson, P. Mabel. Applications of statistical method to the data of vitamin feeding experiments. I. The per cent effect of measured variables, 449
—, —, and —. Applications of statistical method to the data of vitamin feeding experiments. II. How many animals per experimental lot, 461

J

Jackson, Richard W. A synthesis of tryptophol, 659
Jacobs, Walter A. Strophanthin. XVIII. Allocymarin and allostrophanthidin. An enzymatic isomerization of cymarin and strophanthidin, 519
Jacobs, Walter A., and Fleck, Elmer E. The partial dehydrogenation of α- and β-amyrin, 137
— and —. Saponins. V. The partial dehydrogenation of hederagenin, 153
— and —. Tigogenin, a digitalis sapogenin, 545
— and **Gustus, Edwin L.** The digitalis glucosides. V. The oxidation and isomerization of gitoxigenin, 531
Jaffe, Henry L. See BODANSKY, BLAIR, and JAFFE, 629
Johansen, A. Hecht. Lipemia in hemorrhagic anemia in rabbits, 669
Johnson, Margaret. See MALLON, JORDAN, and JOHNSON, 163
Jones, D. Breese, and Csonka, Frank A. The prolamins of dwarf yellow milo and feterita, two horticultural varieties of *Holcus sorghum*, 305
Jordan, Ruth. See MALLON, JORDAN, and JOHNSON, 163

K

Kajdi, Laslo. See HAMILTON, KAJDI, and MEEKER, 331
Keenan, George L., and Wildman, J. D. Note on a previously unrecorded occurrence of crystalline globulin in banana seeds, 425
Kendall, Edward C., Mason, Harold L., and McKenzie, Bernard F. A study of glutathione. IV. Determination of the structure of glutathione, 409

Kirk, Paul L. See DALTON, KIRK, and SCHMIDT, 589
—. See SCHMIDT, KIRK, and APPLEMAN, 285
Krause, A. C., and Yudkin, A. M. The chemical composition of the normal aqueous humor of the dog, 471

L

Laug, Edwin P. The application of the quinhydrone electrode to the determination of the pH of serum and plasma, 551
Levene, P. A., and Dillon, Robert T. Intestinal nucleotidase, 753
— and **Mikeska, L. A.** On the ring structure of methylglucodesoside, 791
—, —, and **Passoth, Kurt.** On Walden inversion. XIV. The influence of substituting groups on optical rotation in the series of disubstituted acetic acids containing a phenyl group, 27
— and **Raymond, Albert L.** The action of benzoic peracid on substituted glucals, 513
— and **Walti, A.** Studies in polymerization and condensation. VI. 5, 6-Dihydroxyhexanone-2, 771
Looney, Joseph M. The determination of blood urea nitrogen by direct Nesslerization, 189

M

Mallon, Marguerite G., Jordan, Ruth, and Johnson, Margaret. A note on the calcium retention on a high and low fat diet, 163
Mason, Harold L. See KENDALL, MASON, and MCKENZIE, 409
McDonald, Francis G., and Bills, Charles E. The isomerization of ergosterol with fullers' earth, 601
—. See BILLS and MCDONALD, 337
McKenzie, Bernard F. See KENDALL, MASON, and MCKENZIE, 409
Meeker, Dorothy. See HAMILTON, KAJDI, and MEEKER, 331
Mikeska, L. A. See LEVENE and MIKESKA, 791
—. See LEVENE, MIKESKA, and PASSOTH, 27
Mitchell, H. H. See BEADLES, BRAMAN, and MITCHELL, 615, 623
Morgan, Agnes Fay, and Field, Anna. Vitamins in dried fruits. II. The effect of drying and of sulfur dioxide upon the vitamin A content of fruits, 9
Morgulis, Sergius, and Perley, Anne Macgregor. Studies on cerebrospinal fluid and serum calcium, with special reference to the parathyroid hormone, 169
Morrison, Dempsie B., and Nash, Thomas P., Jr. The copper content of infant livers, 479

N

Nash, Thomas P., Jr. See MORRISON and NASH, 479
Nelson, P. Mabel. See IRWIN, BRANDT, and NELSON, 449, 461

Nicolet, Ben H. The action of alkali on thiohydantoin derivatives of cystine and cysteine, 403
—. The structure of glutathione, 389
—. Thiohydantoins derived from cystine and from cysteine, 395

O

Okey, Ruth. A micro method for the estimation of cholesterol, by oxidation of the digitonide, 367

P

Palmer, J. W. See Behr, Palmer, and Clarke, 131
Parsons, Helen T. Urea concentrations in the blood of the rat in relation to pregnancy and lactation on diets containing varying concentrations of protein, 311
Passoth, Kurt. See Levene, Mikeska, and Passoth, 27
Perley, Anne Macgregor. See Morgulis and Perley, 169
Peterson, W. H. See Skinner and Peterson, 347

R

Randall, Merle. See Hoskins, Randall, and Schmidt, 215
Rawlins, L. M. Chapman, and Schmidt, Carl L. A. The mode of combination between certain dyes and gelatin granules, 271
Raymond, Albert L. See Levene and Raymond, 513

S

Schmidt, Carl L. A., Kirk, Paul L., and Appleman, W. K. The apparent dissociation constants of arginine and of lysine and the apparent heats of ionization of certain amino acids, 285
—. See Dalton, Kirk, and Schmidt, 589
—. See Hoskins, Randall, and Schmidt, 215
—. See Rawlins and Schmidt, 271
—. See Smythe and Schmidt, 241
Schoonover, Janetta. See Fosbinder and Schoonover, 605
Sherman, H. C., Caldwell, M. L., and Adams, Mildred. Enzyme purification: further experiments with pancreatic amylase, 295
— and **Stiebeling, H. K.** Quantitative differentiation of vitamins A and D. II, 683
Sinclair, Robert Gordon. The metabolism of the phospholipids. II. The influence of growth on the phospholipid (and cholesterol) content of the white rat, 575
Skinner, J. T., and Peterson, W. H. The determination of manganese in animal materials, 347
Smith, Homer W. Metabolism of the lung-fish, *Protopterus æthiopicus*, 97
Smythe, C. V., and Schmidt, Carl L. A. Studies on the mode of combination of iron with certain proteins, amino acids, and related compounds, 241

Steenbock, H., Hart, E. B., Hanning, Flora, and **Humphrey, G. C.** Fat-soluble vitamins. XXX. The antirachitic value of cow's milk as modified by the feeding of irradiated yeast, 197

Stiebeling, H. K. See SHERMAN and STIEBELING, 683

Sunderman, F. William. A sixty cycle conductivity assembly for biological fluids, 61

Svedberg, Andrea. See FOLIN and SVEDBERG, 77, 85, 715

T

Tongberg, Carl O. See CONANT and TONGBERG, 701

Turner, R. G. A micro colorimetric method for the quantitative estimation of iodine in blood, 497

Tweedy, Wilbur R. Studies on the plasma calcium-raising principle of bovine parathyroid glands. I. A method of preparation and some observations on the yield, solubility, and stability of the product, 649

W

Walti, A. See LEVENE and WALTI, 771

Weber, C. J. The determination of arginine in dog blood, 353

West, Randolph, and **Howe, Marion.** A crystalline derivative of an acid present in liver, active in pernicious anemia, 427

Wildman, J. D. See KEENAN and WILDMAN, 425

Y

Yudkin, A. M. See KRAUSE and YUDKIN, 471

INDEX TO SUBJECTS.

A

Acetaldehyde:
α-Oxidation (CONANT and TONGBERG) 701

Acetic acid(s):
Disubstituted, with phenyl group, optical rotation influenced by substituting groups (LEVENE, MIKESKA, and PASSOTH) 27

Achlorhydria:
Chloride excretion (HUBBARD) 361

Acid (s):
Liver, active in pernicious anemia, crystalline derivative (WEST and (HOWE) 427

Acid-base:
Balance, ash, plants, determination (FREAR) 675
Balance, determination, ash, plants (FREAR) 675

Activity coefficient:
Aspartic acid and monosodium salts (HOSKINS, RANDALL, and SCHMIDT) 215
Glutamic acid and monosodium salts (HOSKINS, RANDALL, and SCHMIDT) 215

Allocymarin:
(JACOBS) 519

Allostrophanthidin:
(JACOBS) 519

Amino acid(s):
Heat of ionization (SCHMIDT, KIRK, and APPLEMAN) 285
Iron, combination (SMYTHE and SCHMIDT) 241

Amylase:
Pancreas, purification (SHERMAN, CALDWELL, and ADAMS) 295

α-Amyrin:
Dehydrogenation, partial (JACOBS and FLECK) 137

β-Amyrin:
Dehydrogenation, partial (JACOBS and FLECK) 137

Anemia:
Hemorrhagic, lipemia (JOHANSEN) 669
Pernicious, liver acid, crystalline derivative, active in (WEST and HOWE) 427

Animal:
Material, manganese determination (SKINNER and PETERSON) 347

Apparatus:
Conductivity assembly, biological fluids (SUNDERMAN) 61
Potentiometer, vacuum tube, for glass electrode (DUBOIS) 729

Aqueous humor:
Chemical composition (KRAUSE and YUDKIN) 471

XUM

Arginine:
Blood, determination (WEBER) 353
Determination, blood (WEBER) 353
Dissociation constants, apparent (SCHMIDT, KIRK, and APPLEMAN) 285

Ash:
Acid-base balance, determination, plants (FREAR) 675
Plants, acid-base balance, determination (FREAR) 675

Aspartic acid:
Activity coefficient (HOSKINS, RANDALL, and SCHMIDT) 215
Conductance (HOSKINS, RANDALL, and SCHMIDT) 215
Monosodium salts, activity coefficient (HOSKINS, RANDALL, and SCHMIDT) 215
Monosodium salts, conductance (HOSKINS, RANDALL, and SCHMIDT) 215

B

Bacillus:
Tubercle, chemistry. I (COOPER) 485
—, —. II (COOPER) 493

Bacillus Calmette-Guérin:
Analysis (COOPER) 485
R type, medium (COOPER) 493
S type, medium (COOPER) 493

Banana:
Seed, globulin, crystalline (KEENAN and WILDMAN) 425

Biological fluids:
Conductivity assembly (SUNDERMAN) 61

Biological material:
Bromides, determination (BEHR, PALMER, and CLARKE) 131

Blood:
Arginine determination (WEBER) 353
Iodine determination, colorimetric, micro (TURNER) 497
Non-protein constituents, diffusible (FOLIN and SVEDBERG) 715
— —, —, distribution (FOLIN and SVEDBERG) 715
— nitrogen determination, micro, unlaked (FOLIN and SVEDBERG) 85
Sugar determination, micro, unlaked (FOLIN and SVEDBERG) 85
Unlaked, non-protein nitrogen determination, micro (FOLIN and SVEDBERG) 85
—, sugar determination, micro (FOLIN and SVEDBERG) 85
—, urea determination, micro (FOLIN and SVEDBERG) 85
—, uric acid determination, micro (FOLIN and SVEDBERG) 85
Urea determination, distillation method (FOLIN and SVEDBERG) 77

Blood—*continued:*
Urea determination, micro, unlaked (FOLIN and SVEDBERG) 85
—, lactation, varying protein diet (PARSONS) 311
— nitrogen, determination, direct Nesslerization (LOONEY) 189
—, pregnancy, varying protein diet (PARSONS) 311
Uric acid determination, micro, unlaked (FOLIN and SVEDBERG) 85
Blood cell:
Non-protein constituents, diffusible, distribution, blood plasma and (FOLIN and SVEDBERG) 715
Blood plasma:
Calcium-raising principle, parathyroid glands. I (TWEEDY) 649
— —, — —, preparation (TWEEDY) 649
— —, — —, properties (TWEEDY) 649
Hydrogen ion concentration determination, quinhydrone electrode (LAUG) 551
Lipid, fasting (GLUSKER) 381
—, postabsorptive state (GLUSKER) 381
Non-protein constituents, diffusible, distribution, corpuscles and (FOLIN and SVEDBERG) 715
Blood serum:
Calcium (MORGULIS and PERLEY) 169
—, parathyroid hormone, effect (MORGULIS and PERLEY) 169
Blood serum—*continued:*
Calcium, rickets, phosphorus administration effect (HAMILTON, KAJDI, and MEEKER) 331
—, rickets, spontaneous healing effect (HAMILTON, KAJDI, and MEEKER) 331
—, —, treatment effect (HAMILTON, KAJDI, and MEEKER) 331
Hydrogen ion concentration determination, quinhydrone electrode (LAUG) 551
Sulfate, inorganic, determination (HUBBARD) 663
Bromide(s):
Biological material, determination (BEHR, PALMER, and CLARKE) 131
Determination, biological material (BEHR, PALMER, and CLARKE) 131

C

Calcium:
Blood serum (MORGULIS and PERLEY) 169
— —, parathyroid hormone, effects (MORGULIS and PERLEY) 169
— —, rickets, phosphorus administration effect (HAMILTON, KAJDI, and MEEKER) 331
— —, —, spontaneous healing effect (HAMILTON, KAJDI, and MEEKER) 331
— —, —, treatment effect (HAMILTON, KAJDI, and MEEKER) 331

Calcium—*continued:*
Cerebrospinal fluid (MORGULIS and PERLEY) 169
— —, parathyroid hormone, effect (MORGULIS and PERLEY) 169
-Raising principle, blood plasma, parathyroid glands. I (TWEEDY) 649
— —, — —, parathyroid gland, preparation (TWEEDY) 649
— —, — —, parathyroid gland, properties (TWEEDY) 649
Retention, fat diet (MALLON, JORDAN, and JOHNSON) 163
Cerebrospinal fluid:
Calcium (MORGULIS and PERLEY) 169
—, parathyroid hormone, effect (MORGULIS and PERLEY) 169
Chemical constitution:
Glutathione (KENDALL, MASON, and MCKENZIE) 409
— (NICOLET) 389
Methylglucodesosides, ring structure (LEVENE and MIKESKA) 791
Chemical structure:
See Chemical constitution.
Chloride:
Achlorhydria, excretion (HUBBARD) 361
Excretion, achlorhydria (HUBBARD) 361
Cholesterol:
Determination, micro, by digitonide oxidation (OKEY) 367
Growth influence (SINCLAIR) 575
Condensation:
Polymerization and. VI (LEVENE and WALTI) 771
Conductance:
Aspartic acid and monosodium salts (HOSKINS, RANDALL, and SCHMIDT) 215
Glutamic acid and monosodium salts (HOSKINS, RANDALL, and SCHMIDT) 215
Conductivity assembly:
Biological fluids (SUNDERMAN) 61
Copper:
Liver, infant (MORRISON and NASH) 479
Corpuscle:
Blood. *See* Blood cell.
Cymarin:
Allo- (JACOBS) 519
Enzyme isomerization (JACOBS) 519
Isomerization, enzyme (JACOBS) 519
Cysteine:
Thiohydantoin (NICOLET) 395
— derivatives, alkaline action (NICOLET) 403
Cystine:
-Deficient diet, hair growth, relation (BEADLES, BRAMAN, and MITCHELL) 623
Proteins, peas, deficiency (BEADLES, BRAMAN, and MITCHELL) 615
—, potato, deficiency (BEADLES, BRAMAN, and MITCHELL) 615
Thiohydantoin (NICOLET) 395
—, derivatives, alkali action (NICOLET) 403

D

Diet:
Cystine-deficient, hair growth, relation (Beadles, Braman, and Mitchell) 623
Fat-high, calcium retention (Mallon, Jordan, and Johnson) 163
Fat-low, calcium retention (Mallon, Jordan, and Johnson) 163
Protein, blood urea, lactation, relation (Parsons) 311
—, — urea, pregnancy, relation (Parsons) 311

Digitalis:
Glucosides. V (Jacobs and Gustus) 531
Sapogenin (Jacobs and Fleck) 545
Tigogenin (Jacobs and Fleck) 545

5, 6-Dihydroxyhexanone-2: (Levene and Walti) 771

Diiodotyrosine:
Dissociation constants, apparent (Dalton, Kirk, and Schmidt) 589
Heat of ionization, apparent (Dalton, Kirk, and Schmidt) 589
— — solution (Dalton, Kirk, and Schmidt) 589

Dissociation constant(s):
Apparent, arginine (Schmidt, Kirk, and Appleman) 285
—, diiodotyrosine (Dalton, Kirk, and Schmidt) 589

Dissociation constant(s)—*continued:*
Apparent, lysine (Schmidt, Kirk, and Appleman) 285

Drying:
Vitamin A, fruits, effect (Morgan and Field) 9

Dye:
Gelatin granules, combination (Rawlins and Schmidt) 271

E

Electrode:
Glass, potentials, measurement (Fosbinder and Schoonover) 605
—, vacuum tube potentiometer for (DuBois) 729
Quinhydrone, hydrogen ion concentration determination, blood plasma (Laug) 551
—, — — — determination, blood serum (Laug) 551

Enzyme:
Cymarin, isomerization (Jacobs) 519
Isomerization, cymarin (Jacobs) 519
—, strophanthidin (Jacobs) 519
Proteolytic, titration, Gates method (Gilman and Cowgill) 743
Purification (Sherman, Caldwell, and Adams) 295
Strophanthidin, isomerization (Jacobs) 519
See also Amylase, Nucleotidase.

Ergosterol:
Iso-, vitamin D relation (Cox and Bills) 709
Isomerization (Bills and McDonald) 337
—, fullers' earth (McDonald and Bills) 601

Excretion:
Chloride, achlorhydria (Hubbard) 361

F

Fasting:
Blood plasma lipid (Glusker) 381

Fat:
-High diet, calcium retention (Mallon, Jordan, and Johnson) 163
-Low diet, calcium retention (Mallon, Jordan, and Johnson) 163
-Soluble vitamins. XXX (Steenbock, Hart, Hanning, and Humphrey) 197

Feterita:
Prolamin (Jones and Csonka) 305

Fruit:
Vitamin A, drying effect (Morgan and Field) 9
— —, sulfur dioxide effect (Morgan and Field) 9
—, dried. II (Morgan and Field) 9

G

Gates:
Enzyme, proteolytic, titration (Gilman and Cowgill) 743

Gelatin:
Granules, dyes, combination (Rawlins and Schmidt) 271

Gitoxigenin:
Isomerization (Jacobs and Gustus) 531
Oxidation (Jacobs and Gustus) 531

Globulin:
Banana seeds, crystalline (Keenan and Wildman) 425

Glucal(s):
Substituted, benzoic peracid action (Levene and Raymond) 513

Glucodesoside:
Methyl-, ring structure (Levene and Mikeska) 791

Glucoside:
Digitalis. V (Jacobs and Gustus) 531

Glutamic acid:
Activity coefficient (Hoskins, Randall, and Schmidt) 215
Conductance (Hoskins, Randall, and Schmidt) 215
Monosodium salts, activity coefficient (Hoskins, Randall, and Schmidt) 215
— —, conductance (Hoskins, Randall, and Schmidt) 215

Glutathione:
IV (Kendall, Mason, and McKenzie) 409
Structure (Kendall, Mason, and McKenzie) 409
— (Nicolet) 389

Growth:
Cholesterol influence (SINCLAIR) 575
Phospholipid influence (SINCLAIR) 575

H

Hair:
Cystine-deficient diet, growth, relation (BEADLES, BRAMAN, and MITCHELL) 623
Growth, cystine-deficient diet, relation (BEADLES, BRAMAN, and MITCHELL) 623
Heat of ionization:
Amino acids (SCHMIDT, KIRK, and APPLEMAN) 285
Apparent, diiodotyrosine (DALTON, KIRK, and SCHMIDT) 589
Heat of solution:
Diiodotyrosine (DALTON, KIRK, and SCHMIDT) 589
Hederagenin:
Dehydrogenation, partial (JACOBS and FLECK) 153
Hemorrhage:
Anemia, lipemia (JOHANSEN) 669
Holcus sorghum:
See Feterita.
See Milo.
Hydrogen ion concentration:
Blood plasma, determination, quinhydrone electrode (LAUG) 551
— serum, determination, quinhydrone electrode (LAUG) 551
Determination, blood plasma, quinhydrone electrode (LAUG) 551
Hydrogen ion concentration— *continued:*
Determination, blood serum, quinhydrone electrode (LAUG) 551
Hyperparathyroidism:
Ostitis fibrosa cause (BODANSKY, BLAIR, and JAFFE) 629

I

Intestine:
Nucleotidase (LEVENE and DILLON) 753
Iodine:
Blood, determination, colorimetric, micro (TURNER) 497
Determination, colorimetric, micro, blood (TURNER) 497
Iron:
Amino acids, combination (SMYTHE and SCHMIDT) 241
Proteins, combination (SMYTHE and SCHMIDT) 241
Irradiation:
Yeast, antirachitic value of milk, cow fed on (STEENBOCK, HART, HANNING, and HUMPHREY) 197
—, cow fed on, antirachitic value of milk (STEENBOCK, HART, HANNING, and HUMPHREY) 197
Isoergosterol(s):
Vitamin D relation (COX and BILLS) 709

XUM

L

Lactation:
Blood urea, varying protein diet, effect (PARSONS) 311

Lactic acid:
Oxidation, mechanism (CONANT and TONGBERG) 701

Lipemia:
Anemia, hemorrhagic (JOHANSEN) 669

Lipid:
Blood plasma, fasting (GLUSKER) 381
— —, postabsorptive state (GLUSKER) 381

Liver:
Acid active in pernicious anemia, crystalline derivative (WEST and HOWE) 427
Copper, infant (MORRISON and NASH) 479

Lung-fish:
Metabolism (SMITH) 97
Protopterus æthiopicus, metabolism (SMITH) 97

Lysine:
Dissociation constants, apparent (SCHMIDT, KIRK, and APPLEMAN) 285

M

Manganese:
Animal materials, determination (SKINNER and PETERSON) 347
Determination, animal materials (SKINNER and PETERSON) 347

Metabolism:
Intermediary, uracil (CERECEDO) 695
Lung-fish (SMITH) 97
Phospholipids. II (SINCLAIR) 575
Tributyrin (DAVIS) 67
Uracil, intermediary (CERECEDO) 695

Methylglucodesoside:
Ring structure (LEVENE and MIKESKA) 791

Milk:
Antirachitic value, cow fed irradiated yeast (STEENBOCK, HART, HANNING, and HUMPHREY) 197

Milo:
Prolamins (JONES and CSONKA) 305

N

Nitrogen:
Non-protein, blood, unlaked, determination, micro (FOLIN and SVEDBERG) 85
—, determination, micro, unlaked blood (FOLIN and SVEDBERG) 85
Urea, blood, determination, direct Nesslerization (LOONEY) 189

Nucleotidase:
Intestinal (LEVENE and DILLON) 753

O

Optical rotation:
Disubstituted acetic acids with phenyl group, substituting groups, influence (LEVENE, MIKESKA, and PASSOTH) 27
See also Walden inversion.

Ostitis fibrosa:
Hyperparathyroidism, effect (BODANSKY, BLAIR, and JAFFE) 629

P

Pancreas:
Amylase, purification (SHERMAN, CALDWELL, and ADAMS) 295

Parathyroid:
Gland, blood plasma calcium-raising principle. I (TWEEDY) 649
—, — — — principle, preparation (TWEEDY) 649
—, — — — principle, properties (TWEEDY) 649
Hormone, calcium, blood serum, effect (MORGULIS and PERLEY) 169
—, —, cerebrospinal fluid, effect (MORGULIS and PERLEY) 169

Pea:
Protein, cystine deficiency (BEADLES, BRAMAN, and MITCHELL) 615

Pentosuria:
Sugar, nature (GREENWALD) 1

Peptic activity:
Determination (GILMAN and COWGILL) 743

Phospholipid:
Growth influence (SINCLAIR) 575
Metabolism. II (SINCLAIR) 575

Phosphorus:
Blood serum calcium, rickets, administration effect (HAMILTON, KAJDI, and MEEKER) 331

Pigment:
Urine, normal. III (DRABKIN) 433
—, —. IV (DRABKIN) 443
—, —, extraction (DRABKIN) 433
—, —, properties (DRABKIN) 443

Plant:
Ash, acid-base balance, determination (FREAR) 675

Polymerization:
Condensation and. VI (LEVENE and WALTI) 771

Potato:
Protein, cystine deficiency (BEADLES, BRAMAN, and MITCHELL) 615

Potential:
Glass electrode, measurement (FOSBINDER and SCHOONOVER) 605

Potentiometer:
Vacuum tube, for glass electrode (DUBOIS) 729

Pregnancy:
Blood urea, varying protein diet, effect (PARSONS) 311

Prolamin:
Feterita (JONES and CSONKA) 305
Milo (JONES and CSONKA) 305

Protein(s):
Diet varying in, blood urea, lactation, relation (PARSONS) 311

Protein(s)—*continued:*
Diet varying in, blood urea, pregnancy, relation (PARSONS) 311
Iron, combination (SMYTHE and SCHMIDT) 241
Non-, constituents, diffusible, blood (FOLIN and SVEDBERG) 715
—, —, —, —, distribution (FOLIN and SVEDBERG) 715
Pea, cystine deficiency (BEADLES, BRAMAN, and MITCHELL) 615
Potato, cystine deficiency (BEADLES, BRAMAN, and MITCHELL) 615
Proteolysis:
Enzyme titration, Gates method (GILMAN and COWGILL) 743
Protopterus æthiopicus:
See Lung-fish.
Pyrimidines:
Physiology. III (CERECEDO) 695

Q

Quinhydrone:
Electrode, hydrogen ion concentration determination, blood plasma (LAUG) 551
—, — — — determination, blood serum (LAUG) 551

R

Retention:
Calcium, fat diet (MALLON, JORDAN, and JOHNSON) 163
Rickets:
Antirachitic substances. X (COX and BILLS) 709
Rickets—*continued:*
Blood serum calcium, phosphorus administration effect (HAMILTON, KAJDI, and MEEKER) 331
— — —, spontaneous healing effect (HAMILTON, KAJDI, and MEEKER) 331
— — —, treatment effect (HAMILTON, KAJDI, and MEEKER) 331
Milk, cow fed irradiated yeast, antirachitic value (STEENBOCK, HART, HANNING and HUMPHREY) 197

S

Sapogenin:
Digitalis (JACOBS and FLECK) 545
Saponin(s):
V (JACOBS and FLECK) 153
Statistics:
Vitamin feeding experiments, data. I (IRWIN, BRANDT, and NELSON) 449
— — —, —. II (IRWIN, BRANDT, and NELSON) 461
— — —, measured variables, per cent effect (IRWIN, BRANDT, and NELSON) 449
— — —, number of animals (IRWIN, BRANDT, and NELSON) 461
Strophanthidin:
Allo-(JACOBS) 519
Enzyme isomerization (JACOBS) 519
Isomerization, enzyme (JACOBS) 519

Strophanthin:
XVIII (JACOBS) 519
Sugar:
Blood, unlaked, determination, micro (FOLIN and SVEDBERG) 85
Determination, micro, unlaked blood (FOLIN and SVEDBERG) 85
Pentosuria, nature (GREENWALD) 1
Sulfate:
Inorganic, blood serum, determination (HUBBARD) 663
—, determination, blood serum (HUBBARD) 663
Sulfur dioxide:
Vitamin A, fruits, effect (MORGAN and FIELD) 9

T

Thiohydantoin:
Cysteine (NICOLET) 395
Cystine (NICOLET) 395
Derivatives, cysteine, alkali action (NICOLET) 403
—, cystine, alkali action (NICOLET) 403
Tigogenin:
Digitalis (JACOBS and FLECK) 545
Tributyrin:
Metabolism (DAVIS) 67
Tryptophol:
Synthesis (JACKSON) 659
Tubercle bacillus:
Chemistry. I (COOPER) 485
Tubercle bacillus—*continued:*
Chemistry. II (COOPER) 493
Tyrosine:
Diiodo-, dissociation constants, apparent (DALTON, KIRK, and SCHMIDT) 589
—, heat of ionization, apparent (DALTON, KIRK, and SCHMIDT) 589
—, — —solution (DALTON, KIRK, and SCHMIDT) 589

U

Uracil:
Metabolism, intermediary (CERECEDO) 695
Urea:
Blood, determination, distillation method (FOLIN and SVEDBERG) 77
—, lactation, varying protein diet (PARSONS) 311
—, pregnancy, varying protein diet (PARSONS) 311
—, unlaked, determination, micro (FOLIN and SVEDBERG) 85
Determination, distillation method, blood (FOLIN and SVEDBERG) 77
—, micro, unlaked blood (FOLIN and SVEDBERG) 85
Nitrogen, blood, determination, direct Nesslerization (LOONEY) 189
—, determination, direct Nesslerization, blood (LOONEY) 189

Uric acid:
Blood, unlaked, determination, micro (FOLIN and SVEDBERG) 85
Determination, micro, unlaked blood (FOLIN and SVEDBERG) 85

Urine:
Pigment, normal. III (DRABKIN) 433
—, —. IV (DRABKIN) 443
—, —, extraction (DRABKIN) 433
—, —, properties (DRABKIN) 443

V

Vitamin(s):
A and D, differentiation, quantitative. II (SHERMAN and STIEBELING) 683
A, drying effect, fruits (MORGAN and FIELD) 9
—, sulfur dioxide effect, fruits (MORGAN and FIELD) 9
D and A, differentiation, quantitative. II (SHERMAN and STIEBELING) 683
D, isoergosterols, relation (COX and BILLS) 709

Vitamin(s)—*continued:*
Fat-soluble. XXX (STEENBOCK, HART, HANNING, and HUMPHREY) 197
Feeding experiments, measured variables, per cent effect (IRWIN, BRANDT, and NELSON) 449
— —, number of animals (IRWIN, BRANDT, and NELSON) 461
— —, statistics. I (IRWIN, BRANDT, and NELSON) 449
— —, —. II (IRWIN, BRANDT, and NELSON) 461
Fruits, dried. II (MORGAN and FIELD) 9

W

Walden inversion:
XIV (LEVENE, MIKESKA, and PASSOTH) 27

Y

Yeast:
Irradiated, antirachitic value of milk, cow fed on (STEENBOCK, HART, HANNING, and HUMPHREY) 197
—, cow fed on, antirachitic value of milk (STEENBOCK, HART, HANNING, and HUMPHREY) 197

EN-
NG,

197
eas-
ent
DT,
449
als
and
461
IN,
)
449
IN,
)
461
OR-
9

KA,

27

itic
on
RT,
UM-
197
itic
EN-
NG,

197

XUM